

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#)

Welcome United States Patent and Trademark Office

☐ Search Session History[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Tue, 4 Dec 2007, 2:09:25 PM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- | | |
|-----------|---|
| <u>#1</u> | (((txop)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2003) |
| <u>#2</u> | (((txop)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2003) |
| <u>#3</u> | (((txop)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2003) |
| <u>#4</u> | (((txop)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2003) |
| <u>#5</u> | (((txop)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2003) |
| <u>#6</u> | (((txop)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2004) |
| <u>#7</u> | (((txop)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2004) |
| <u>#8</u> | (((txop)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2004) |



Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2007 IEEE -

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	(@ad<="20031010" or @pd<="20031010" or @rlan<="20031010" or @rlad<="20031010" or @rlpn<="20031010") and (txop) same (service interval)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 10:59
L2	4	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (txop) same (service interval)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 11:02
L3	7	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (txop) and (service interval)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 11:15
L4	20	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (determin\$5 or calculat\$5) with txop	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 11:24
L5	1	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (determin\$5 or calculat\$5) with txop and (service interval)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 11:15
L6	15	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (determin\$5 or calculat\$5) with txop and (interval)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 11:39
L7	12792	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (determin\$5 or calculat\$5) with (service interval or si)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 11:42

EAST Search History

L8	5	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (determin\$5 or calculat\$5) with (service interval or si) same (beacon)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 11:43
L9	0	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (determin\$5 or calculat\$5) with (service interval or si) same (beacon) and (maximum serive interval)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 11:43
L10	0	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (determin\$5 or calculat\$5) with (service interval or si) and (maximum serive interval)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 12:27
L11	2	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (determin\$5 or calculat\$5) with (service interval or si) and (beacon interval)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 11:53
L12	29	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (service interval or si) same (beacon)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 12:07
L13	6	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (maximum service interval)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 12:09
L14	6	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (maximum service interval) and (service interval or (si))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 12:48

EAST Search History

L15	6	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and ((maximum or max) near2 service interval) and (service interval or (si))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 12:18
L16	41	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (service interval with (max or maximum))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 12:18
L17	358	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (interval adj5 less adj6 maximum)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 12:27
L18	25	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (interval adj5 less adj6 maximum) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 12:27
L22	3	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and txop and (transmission rate) and (msdu or mpdu) and overhead\$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 13:06
L23	1	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and txop same (maximum (msdu\$2 or mpdu\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 13:06
L24	1	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and txop and (maximum (msdu\$2 or mpdu\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 13:06

EAST Search History

L25	11	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (maximum (msdu\$2 or mpdu\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 13:48
L26	14	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (maximum near2 (msdu\$2 or mpdu\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 13:56
L27	5	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (txop near2 (msdu\$2 or mpdu\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 13:56
L28	21	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (txop with (msdu\$2 or mpdu\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:21
L29	284	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and ((time or period) with maximum near2 size near2 (packet or frame\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:22
L30	110	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and ((transm\$6) with (time or period) with maximum near2 size near2 (packet or frame\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:24
L31	26	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (maximum or max) with (mdsu\$2 or mpdu\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:25

EAST Search History

L32	0	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (maximum or max) with (msdu\$2 or mpdu\$2) and txop	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:25
L33	3	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (maximum or max) with (msdu\$2 or mpdu\$2) and txop	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:26
L34	52	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (maximum or max) with (msdu\$2 or mpdu\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:30
L35	111	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (txop or (transmit oppurtunity))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:30
L36	0	370/346.ccls and (@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:39
L37	0	370/449.ccls and (@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:38
L38	0	370/395.4.ccls and (@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:38
L39	0	370/343.ccls and (@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:38

EAST Search History

L40	0	370/343.ccls. and (@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:38
L41	241	370/346.ccls. and (@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:39
L42	850	370/449.ccls. and (@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:39
L43	466	370/395.4.ccls. and (@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:39
L44	461	370/343.ccls. and (@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:39
L45	1436	370/230.ccls. and (@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:39
L46	196	370/344.ccls. and (@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:39
S1	2	((("7068633") or ("7151762") or ("20030093526") or ("20050041670") or ("20060194601")).PN.	USPAT; USOCR	OR	OFF	2007/11/29 19:25
S2	5	((("7068633") or ("7151762") or ("20030093526") or ("20050041670") or ("20060194601")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/29 19:39

EAST Search History

S3	1	("7031287").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/03 12:17
S4	0	("2002089994").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/29 19:40
S5	1	("20020089994").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/29 19:54
S6	1	("20020143982").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/29 19:54
S7	56	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (txop) and (schedul\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 12:36
S8	2	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106") and (tspec) and (mac) and (cf-poll)	US-PGPUB; USPAT	ADJ	OFF	2007/12/03 12:17
S9	97	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (txop)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 13:11
S10	1	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (parameter\$2 with (maximum service interval))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 13:13
S11	9	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (parameter\$2 with (msdu))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 13:27
S12	2478	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and rr and schedul\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 10:49

EAST Search History

S13	44	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and rr near2 frame\$2 and schedul\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 13:31
S14	9	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (rr near2 frame\$2 with (qos or parameter\$2)) and schedul\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:38
S15	155	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (access point with processor with memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 19:10
S16	20	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (parameterized near3 stream)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 19:15
S17	6	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and ((mean data rate) same (msdu size) same (service interval or (delay bound)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 19:24
S18	1	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (service interval same (txop))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 19:24
S19	3	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (service interval and (txop))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 19:27
S20	0	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (service interval and (transmission oppurtunity))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 19:27

EAST Search History

S21	698	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (service interval)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 19:42
S22	1	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (service interval) and tspec	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 19:28
S23	6	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (determin\$5 or calculat\$5) near5 (TXOP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 19:33
S24	1	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (tspec same service interval)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 19:33
S25	1	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (txop same (rate) same (msdu) same (overhead))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 19:43
S26	8	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (txop and (rate) and (msdu) and (overhead))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 19:51
S27	2	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (tspec or (traffic specification)) same (rate same msdu same overhead)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 19:52